

**BPC**

**Product**

**Catalog**



[BPC Transfer Net Refurnishment VIDEO](#)    ← 동영상 보기 클릭

[X-904 Dangerous Situation VIDEO](#)    ← 동영상 보기 클릭

[X-800 with Crane VIDEO](#)    ← 동영상 보기 클릭

X-904는 기존 제품인 x-800의 업그레이드 버전으로

- 1) 천장 보호대 및 외부 보호망 장착
- 2) 착지 충격 방지용 바닥 쿠션 장착
- 3) 탑승객 이탈 방지용 고정 장치 장착
- 4) 기존 제품과는 달리 내부에 탑승하여 안전도 향상
- 5) 탑승 위치 표시 및 미끄럼 방지
- 6) 가방 및 운반물품 보관함 개선
- 7) 들것을 이용한 부상자 이송 가능
- 8) 접어서 컴팩트하게 보관이 가능
- 9) ABS 형식 승인 제품



## STAY SAFE OFFSHORE. CHOOSE THE RIGHT PRODUCTS.

X-904 Offshore Transfer Device (Personnel Baskets)	3
800 Series Offshore Personnel Transfer Nets	5
OSHA Man Baskets	6
Baskets	7
Nets	10
Fiberglass Products	12
Specialty Products	17
Lines and Ropes	24
Refurbishment	27

## BPC's **NEW** TRANSFER NET

4 to 12 person transfer device is used to quickly and effectively transport personnel on and off of platforms and drilling rigs. All X-904's are made of a sturdy and very durable aluminum skeleton that encompasses the rider to protect them from falling objects and any side impact that may occur. All models are equipped with quick release safety lanyards to provide safety and give the rider confidence while in transit. The X-904 is built above and beyond standard safety rules and regulations to provide a superior product.

### X-904 Offshore Transfer Device (Personnel Baskets)

MODEL	DESCRIPTION	WT	DIMS
X-904-4	4 PERSON TRANSFER DEVICE	655 LBS (297.1 kg)	90" X 90" X 34"
X-904-6	6 PERSON TRANSFER DEVICE	700 LBS (317.5 kg)	102" X 102" X 36"
X-904-8	8 PERSON TRANSFER DEVICE	900 LBS (408.2 kg)	102" X 102" X 36"
X-904-10	10 PERSON TRANSFER DEVICE	1000 LBS (453.6 kg)	112" X 112" X 36"
X-904-12	12 PERSON TRANSFER DEVICE	1200 LBS (544.3 kg)	120" X 120" X 54"

\* ABS & ABS Certification Report are available upon request.



## 5 REASONS TO USE THE X-904

1. First and foremost, you want to exit quickly. If you are sitting down there are many things that can go wrong. By standing up with your knees bent you will be able to make a quick exit by taking one step back. Other companies impeded on your ability for a quick egress.
2. Other companies want you to sit down and face outward. By facing outward with your eyes on the ocean you lose your equilibrium and your sea legs. The X-904 allows you to face inside and keep your focus on the center pole, which is a fixed object so you are less likely to get sick.
3. Other companies require you to sit down and buckle in. BPC offers a quick release safety lanyard that attaches to your life vest. By using the same technology race car drivers use, you have the ability to unlatch and get out quickly. Because the last thing you want during an offshore transfer it to be buckled in.
4. If you are sitting down you are dependent on a soft landing. There are too many uncontrolled factors like high winds, rough seas, human error, etc. We all know conditions are not always perfect but transfers still need to happen. The X-904 offers you the safest possible transfer.
5. When you are standing up in a circle, you can see how other, more experienced riders are able to use the X-904 in a safe secure manner.



# 독도안전

부산광역시 부산진구 양정동 525 대원칸타빌멤버스 106동 상가 B103  
 전화 : (051) 867-1800 / 817-0071      www.dokdosafe.com  
 팩스 : (051) 817-4234                      sdisbs@hanmail.net

## Storage Cover for Assembled Transfer Device

MODEL	DESCRIPTION	WT	DIMS
904P-31	4 PERSON TRANSFER DEVICE	22 LBS (9.9 kg)	20" X 20" X 24"
906P-31	6 PERSON TRANSFER DEVICE	35 LBS (15.9 kg)	-
906P-31	8 PERSON TRANSFER DEVICE	35 LBS (15.9 kg)	-
910P-31	10 PERSON TRANSFER DEVICE	44 LBS (20.1 kg)	-
910P-31	12 PERSON TRANSFER DEVICE	44 LBS (20.1 kg)	-

## Storage Cover for Unassembled Transfer Device

MODEL	DESCRIPTION	WT	DIMS
904P-30	4 PERSON TRANSFER DEVICE	15 LBS (6.8 kg)	20" X 20" X 24"
906P-30	6 PERSON TRANSFER DEVICE	28 LBS (12.7 kg)	-
906P-30	8 PERSON TRANSFER DEVICE	28 LBS (12.7 kg)	-
910P-30	10 PERSON TRANSFER DEVICE	38 LBS (17.2 kg)	-
910P-30	12 PERSON TRANSFER DEVICE	38 LBS (17.2 kg)	-

## Storage Box for Transfer Device

MODEL	DESCRIPTION	WT	DIMS
904 B-4	4 PERSON TRANSFER DEVICE	85 LBS (38.6 kg)	92" x 92" x 35"
904 B-6/8	6 & 8 PERSON TRANSFER DEVICE	110 LBS (49.9 kg)	106" x 106" x 40"

Strong yet Lightweight.



Safety without Confinement.



Quick and Effective.



## BPC's ORIGINAL TRANSFER NET

BPC personnel net has become the industry standard all over the world. It has safely transferred millions of riders over the years and is a symbol of the offshore industry. Many offshore employees remember his or her first ride on a BPC transfer net. It is almost a rite of passage. There have been many attempts to improve or even replace the personnel net but the basic idea and design is still in use around the world.

## 800 Series Offshore Personnel Transfer Nets

MODEL	DESCRIPTION	WT	DIMS
X-870	STANDARD 4 PERSON NET	256 LBS (116.1 kg)	72" X 72" X 16"
X-871	4 PERSON NET FOR ROUGH SEAS	270 LBS (122.5 kg)	72" X 72" X 16"
X-871-6	6 PERSON NET	350 LBS (158.8 kg)	84" X 84" X 16"
X-871-8	8 PERSON NET	400 LBS (181.4 kg)	94" X 94" X 18"
X-871-10	10 PERSON NET	500 LBS (226.8 kg)	94" X 94" X 22"
X-871-12	12 PERSON NET	580 LBS (263.1 kg)	126" X 126" X 22"
X-816	4 PERSON NET W/13" LOAD LINE	240 LBS (108.9 kg)	72" X 72" X 16"
X-840	4 PERSON NET W/60" BOTTOM RING	245 LBS (111.1 kg)	60" X 60" X 16"




## Additional Add-ons:

- Air cushion.
- Double safety load line.
- Stabilizer.
- Storage covers.
- ABS & ABS Certification Report available upon request.



**독도안전**

부산광역시 부산진구 양정동 525 대원칸타빌먼트 106동 상가 B103  
 전화 : (051) 867-1800 / 817-0071      www.dokdosafe.com  
 팩스 : (051) 817-4234      sdisbs@hanmail.net




MODEL-900 SERIES DIMENSIONS

	X-904	X-904-6	X-904-8	X-904-10	X-904-12
A	20 FT.	20 FT.	20 FT.	b.20 FT.	b.20 FT.
B	67 INS.	79.5 INS.	79.5 INS.	79.5 INS.	79.5 INS.
C	62 INS.	74.5 INS.	74.5 INS.	83 INS.	90 INS.
D	7 FT.	7 FT.	7 FT.	7 FT.	7 FT.
E	8 FT.	8 FT.	8 FT.	8 FT.	8 FT.
F	39 FT.	39 FT.	39 FT.	39 FT.	39 FT.
G	74 INS.	89 INS.	89 INS.	100 INS.	107 INS.
H	85INS.	100 INS.	100 INS.	111 INS.	118 INS.
I	d. 11 FT.	d. 11 FT.	d. 11 FT.	d. 11 FT.	d. 11 FT.

NOTES: NET WT 530 LBS.  
THE 900 SERIES PERSONNEL TRANSFERS ARE POWDER COATED





MODEL-800 SERIES DIMENSIONS

	X-871	X-870	X-816	X-840
A	22'	18'	12'	18'
B	2'6"	2'6"	2'6"	2'6"
C	9'	9'	9'	9'
D	34"	30"	24'	30"
E	60"	60"	60"	48"
F	72"	72"	72"	60"
G	11'	9'	8'	9'

	X-871-6	X-871-8
A	22'	22'
B	3'	3'
C	9'	9'
D	35 1/2"	35 1/2"
E	84"	94"
F	96"	106"
G	11'	11'



# The OSHA Man Basket.

lifting you in the air.

OSHA Man Basket (OMB) is a crane suspended basket used to lift workers into the air. Our baskets provide sufficient room for workers and tools, a safety hand rail, and an access gate that opens inwardly. The OSHA man baskets are built to OSHA standards and are heavy duty steel. These man baskets are used for a variety of applications both on and offshore when a heavy OSHA spec man rider is necessary. Baskets are available in 2 or 4 person models. Test weights for each are also available.

## OSHA Man Baskets

MODEL	DESCRIPTION	WT	DIMS
OMB-2	2 PERSON BASKET 4' X 4' X 7'	550 LBS (249.5 kg)	48" L X 48" W X 84" H
OMB-4	4 PERSON BASKET 4' X 6' X 7'	750 LBS (340.2 kg)	48" L X 66" W X 84" H
OMB-S	SLING	58 LBS (26.3 kg)	48" L X 40" W X 11" H
OMB-TW2	TEST WEIGHT FOR OMB-2	1250 LBS (567.0 kg)	48" L X 48" W X 72" H



# Baskets to fit every need.

## Built Tough for Tough Jobs

Professionally engineered to exceed OSHA standards for all your cargo.



## Right Basket for the Right job.

BPC offers a variety of baskets for the specific job that needs to be done. From personnel work baskets to cargo baskets, you can find the right basket for the job.

## Safe. Dependable.

The BPC baskets are manufactured with safety in mind.



**독도안전**

부산광역시 부산진구 양정동 525 대원칸타빌컴버스 106동 상가 B103  
 전화 : (051) 867-1800 / 817-0071      www.dokdosafe.com  
 팩스 : (051) 817-4234      sdisbs@hanmail.net

## Personnel Work Baskets

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
PWB-2	1 - 2 PERSONS	118 LBS (53.5 kg)	48" X 48" X 11½"
PWB-4	3 - 4 PERSONS	129 LBS (58.5 kg)	50" X 50" X 11½"
BRIDLE ASSY	BRIDLE ASSEMBLY FOR PWB-2 & PWB-4	35 LBS (15.9 kg)	28" X 24" X 8"

## Collapsible Cargo Baskets

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
X-8CB	W/CABLE PICK UP SLINGS	357 LBS (161.9 kg)	68" X 68" X 23"
X-8CB	W/CHAIN PICK UP SLINGS	397 LBS (44.0 kg)	-
X-8CB	STABILIZER WITH LOAD LINE	41 LBS (18.6 kg)	-
-	-	35 LBS (15.9 kg)	¾" X 16"
-	-	39 LBS (17.7 kg)	28" X 24" X 8"



Personnel Work Basket  
PWB-2

The collapsible work basket is a lightweight man basket for applications where OSHA requirement is not applicable.



Collapsible Cargo Basket  
X-8CB

Collapsible basket for easy loading of heavy cargo reduces potential for lifting associated injuries and a real space saver.

## Derrick Baskets

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
DB-1	DERRICK BASKET	142 LBS (64.4 kg)	36" x 36" x 104"
DB-1 SAFETY STRAP	DERRICK BASKET - SAFETY STRAP	2 LBS (1.0 kg)	1" X 5.8"

## Rigid Cargo Baskets

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
343	3' X 4' X 3' STEEL	500 LBS (226.8 kg)	IN DESCRIPTION
444	4' X 4' X 4'	550 LBS (249.5 kg)	IN DESCRIPTION
454	4' X 5' X 4'	600 LBS (272.2 kg)	IN DESCRIPTION
643	6' X 4' X 3'	675 LBS (306.2 kg)	IN DESCRIPTION
SLING	WIRE ROPE PICK UP SLING	100 LBS (45.4 kg)	PALLET IF BY ITSELF



Derrick Basket  
DB-1

The DB-1 Derrick Basket is made for lifting personnel with a lightweight basket and retractable lifeline attached to fall protection harness.



Rigid Cargo Basket  
343

BPC's rigid cargo baskets are high quality, galvanized and made for the tough jobs. Rated at 2500 lbs.

# The Nets.

based on the original, but better than ever.

## Boat Rescue Net

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
X-544	BOAT RESCUE NET	73 LBS (33.1 kg)	72"L X 54"W X 24"H PACKING DIMS



Boat Rescue Net  
X-544

The BPC X-544 is a boat davit or crane launched rescue system. Safe and effective for retrieving man overboard operations with the option of not putting a rescue swimmer in harm's way.

## Cargo Nets

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
8' X 8'	6" MESH	45 LBS (20.4 kg)	-
	8" MESH	35 LBS (15.9 kg)	48" X 40" X 13"
	10" MESH	42 LBS (19.1 kg)	28½" X 24" X 15"
	12" MESH	13 LBS (5.9 kg)	-
10' X 10'	6" MESH	61 LBS (27.7 kg)	-
	8" MESH	46 LBS (20.9 kg)	39" X 47" X 14½"
	10" MESH	35 LBS (15.9 kg)	-
	12" MESH	27 LBS (12.3 kg)	48" X 26" X 35"
12' X 12'	6" MESH	85 LBS (38.6 kg)	48" X 40" X 22¾"
	8" MESH	84 LBS (38.1 kg)	36" X 27" X 19½"
15' X 15'	8" MESH	280 LBS (127.0 kg)	48" X 48" X 32"
20' X 20' X 12'	-	468 LBS (212.3 kg)	48" X 43" X 34"
12' X 12' X 8'	-	117 LBS (53.1 kg)	36" X 40½" X 30"



**독도안전**

부산광역시 부산진구 양정동 525 대원칸타빌램버스 106동 상가 B103  
 전화 : (051) 867-1800 / 817-0071    [www.dokdosafe.com](http://www.dokdosafe.com)  
 팩스 : (051) 817-4234    [sdisbs@hanmail.net](mailto:sdisbs@hanmail.net)



Apollo 13 호 우주인 Jack Swigert 지구 귀환  
BPC Rescue Net으로 구조 중



Apollo 13 호 우주인 Jack Swigert 지구 귀환  
BPC Rescue Net으로 구조 중



Apollo 8 호 우주인 지구 귀환 구조용  
BPC Rescue Net (박물관 전시중)

BPC는 NASA의  
우주 탐사 프로그램과  
함께 성장하고 있습니다.



## Excellent Protection.

fiberglass products offer excellent protection for your safety equipment.

### Extreme Temperatures and Weather?

They are made with high quality, corrosion-resistant material that will hold up in all kinds of weather, chemicals, dust, insects, salt water, UV-rays, and extreme temperatures year round.



### Emergency Storage.

BPC's fiberglass products are designed to protect equipment such as fire-hoses, fire extinguishers, breathing apparatuses, life jackets, ring buoys, or to satisfy your general storage needs.

### High Quality Features.

They are manufactured with stainless steel hinges, quick-opening rubber T-latches or stainless latches. Special features include windows and stenciling. Custom orders upon request.



### Breathing Apparatus Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
BAB-1	W/OUT WINDOW 30" X 13 3/4" X 9 3/4"	17 LBS (7.7 kg)	IN DESCRIPTION
BAB-1W	WITH WINDOW 30" X 13 3/4" X 9 3/4"	17 LBS (7.7 kg)	IN DESCRIPTION
BAB-3	W/OUT WINDOW 31 3/4" X 16 3/8" X 11 3/4"	20 LBS (9.1 kg)	IN DESCRIPTION
BAB-3W	WITH WINDOW 31 3/4" X 16 3/8" X 11 3/4"	20 LBS (9.1 kg)	IN DESCRIPTION
	WALKAWAY BRACKETS	21 LBS (9.5 kg)	-
	LARGE RUBBER "T" LATCHES	11 LBS (5.0 kg)	-

### Equipment Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
EB-1	30" X 13 3/4" X 9 3/4"	14 LBS (6.2 kg)	IN DESCRIPTION
EB-2	33" X 13" X 11"	15 LBS (6.8 kg)	IN DESCRIPTION
EB-3	31 3/4" X 16 3/8" X 11 3/4"	17 LBS (7.7 kg)	IN DESCRIPTION
SHELVES	ADD PER EACH SHELF	1.5 LBS (6.8 kg)	-

### Fire Extinguisher Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
FEB-1	30" X 13 3/4" X 9 3/4"	14 LBS (6.4 kg)	IN DESCRIPTION
FEB-1W	30" X 13 3/4" X 9 3/4"	14 LBS (6.4 kg)	IN DESCRIPTION
FEB-3	31 3/4" X 16 3/8" X 11 3/4"	17 LBS (7.7 kg)	IN DESCRIPTION
FEB-3W	31 3/4" X 16 3/8" X 11 3/4"	17 LBS (7.7 kg)	IN DESCRIPTION



Breathing Apparatus Box  
BAB-3



Fire Extinguisher Box  
FEB-1W

## Fire Fighting Equipment Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
FFE-5	24" X 20" X 20"	34 LBS (15.4 kg)	IN DESCRIPTION
FFE-10-15	40" X 24" X 17"	46 LBS (20.8 kg)	IN DESCRIPTION
FFE-20	35" X 23.5" X 29"	48 LBS (21.8 kg)	IN DESCRIPTION
FFE-25	40" X 24" X 31"	50 LBS (22.7 kg)	IN DESCRIPTION
FFE-30	48" X 24" X 29"	83 LBS (37.7 kg)	IN DESCRIPTION
FFE-40	53" X 44" X 28"	128 LBS (58.1 kg)	IN DESCRIPTION
BRACKETS	DECK OR RAIL MOUNTS (ALUM) W/NUTS & BOLTS	13 LBS (5.9 kg)	-

## Fire Hose Cabinets

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
FHC-200	36" X 32" X 6 1/2"	45 LBS (20.4 kg)	IN DESCRIPTION
FHC-300	34" X 34" X 13"	55 LBS (25.0 kg)	IN DESCRIPTION
FHC-400	44" X 32" X 16"	75 LBS (34.0 kg)	IN DESCRIPTION
WINDOWS	ADD TO CABINET PRICE	17 LBS (7.7 kg)	-

## General Purpose Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
OBB-200	28" X 36" X 66"	115 LBS (52.2 kg)	IN DESCRIPTION
OBB-300	36" X 36" X 72"	130 LBS (59.0 kg)	IN DESCRIPTION

\* Specify color: red, orange, or yellow



Fire Hose Cabinet  
FHC-300



General Purpose Box  
OBB-200

## Life Preserver Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
LPB-5	24 7/8" X 20 5/8" X 21 1/2" / 10	34 LBS (15.4 kg)	IN DESCRIPTION
LPB-10-15	27 7/8" X 20 5/8" X 21 5/8" / 18	46 LBS (20.9 kg)	IN DESCRIPTION
LPB-20	35" X 23 7/8" X 29 1/4" / 28	48 LBS (21.8 kg)	IN DESCRIPTION
LPB-25	40 3/8" X 24 7/16" X 31 3/8" / 34	50 LBS (22.7 kg)	IN DESCRIPTION
LPB-30	48" X 24" X 29 1/2" / 38	83 LBS (37.7 kg)	IN DESCRIPTION
LPB-40	53 3/4" X 44 3/8" X 27" / 75	128 LBS (58.1 kg)	IN DESCRIPTION
BRACKETS	DECK OR RAIL MOUNTS (ALUM) W/NUTS & BOLTS	13 LBS (5.9 kg)	-

## Personnel Net Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
PNB-1-4	PERSONNEL NET BOX (4 PERSON NET)	150 LBS (68.0 kg)	-
PNB-1-6	PERSONNEL NET BOX (6 PERSON NET)	200 LBS (90.7 kg)	-
PNB-1-8	PERSONNEL NET BOX (8 PERSON NET)	250 LBS (113.4 kg)	102" X 102" X 25"
PNB-1-10	PERSONNEL NET BOX (10 PERSON NET)	-	-
PNB-1-12	PERSONNEL NET BOX (12 PERSON NET)	-	-



Life Preserver Box  
LPB-5



Personnel Net Box  
PNB-1-4



Storage Covers

### Ring Buoy Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
RBB-30	W/OUT WINDOW (36" X 32" X 6 1/2")	45 LBS (20.4 kg)	IN DESCRIPTION
RBB-30W	WITH WINDOW (36" X 32" X 6 1/2")	45 LBS (20.4 kg)	IN DESCRIPTION
MOUNT KIT	SPECIFY WALL OR HAND RAIL - ALUMINUM	5 LBS (2.3 kg)	32" X 28" X 3"

### Storage Lockers

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
SL-1	35 3/4" X 23 3/4" X 77 5/8"	130 LBS (59.0kg)	IN DESCRIPTION

### Utility Boxes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
UB-1	11" X 10" X 12"	9 LBS (4.1 kg)	IN DESCRIPTION
UB-2	16" X 12" X 13"	14 LBS (6.4 kg)	IN DESCRIPTION



Utility Box  
UB-1



Ring Buoy Box  
RBB-30



Storage Locker  
SL-1

# Specialty Products.

a variety of specialty products from rings bouys to work vests.

### Work Vest, Type V, Vinyl Dipped, USCG Approved

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
WVO-50	1-30 QUANTITY/15 VESTS PER BOX,	30 LBS (13.6 kg)	BOX DIMS 28"L X 24"W X 21"H
	31-75 QUANTITY/15 VESTS PER BOX,	30 LBS (13.6 kg)	BOX DIMS 28"L X 24"W X 21"H
	76-120 QUANTITY/15 VESTS PER BOX,	30 LBS (13.6 kg)	BOX DIMS 28"L X 24"W X 21"H
	121 OR MORE/15 VESTS PER BOX,	30 LBS (13.6 kg)	BOX DIMS 28"L X 24"W X 21"H
	REFLECTIVE TAPE PER VEST	-	-
WVO-100	1-30 QUANTITY/15 VESTS PER BOX,	30 LBS (13.6 kg)	BOX DIMS 28"L X 24"W X 21"H
	31-75 QUANTITY/15 VESTS PER BOX,	30 LBS (13.6 kg)	BOX DIMS 28"L X 24"W X 21"H
	76-120 QUANTITY/15 VESTS PER BOX,	30 LBS (13.6 kg)	BOX DIMS 28"L X 24"W X 21"H
	121 OR MORE/15 VESTS PER BOX,	30 LBS (13.6 kg)	BOX DIMS 28"L X 24"W X 21"H
	REFLECTIVE TAPE PER VEST	-	-

### Life Floats

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
LF-6	6 PERSON LIFE FLOAT	63 LBS (28.6 kg)	54" X 39" X 11"
LF-12	12 PERSON LIFE FLOAT	95 LBS (43.1 kg)	70" X 42" X 10"



**독도안전**

부산광역시 부산진구 양정동 525 대원간타빌컴버스 106동 상가 8103  
 전화 : (051) 867-1800 / 817-0071      www.dokdosafe.com  
 팩스 : (051) 817-4234      sdisbs@hanmail.net

### Life Ring Buoy – USCG (No Tape) – 30"

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
A-301	1-15 QUANTITY/5 PER BOX	38 LBS (17.2 kg)	31" X 31" X 21¼"
	16-70 QUANTITY/5 PER BOX	38 LBS (17.2 kg)	-
	71-140 QUANTITY/5 PER BOX	38 LBS (17.2 kg)	-
	141 OR MORE/5 PER BOX	38 LBS (17.2 kg)	-

### Life Ring Buoy – SOLAS (w/Tape) – 30"

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
A-301S	1-15 QUANTITY/5 PER BOX	38 LBS (17.2 kg)	31" X 31" X 21 ¼"
	16-70 QUANTITY/5 PER BOX	38 LBS (17.2 kg)	-
	71-140 QUANTITY/5 PER BOX	38 LBS (17.2 kg)	-
	141 OR MORE/5 PER BOX	38 LBS (17.2 kg)	-



SOLAS Life Ring Buoy  
A-301S



USCG Life Ring Buoy  
A-301



Rescue Ring  
RR-30

### Rescue Ring

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
RR-30	30" RESCUE RING	8 LBS (3.6 kg)	30"L X 30"W X 4 ¼"H



Helicopter Stretcher  
B-206



Wire Stretcher  
S-1

### Stretchers

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
B-206	LITTER WITH STRAPS, BLANKET & BAG FOR BELL 206	20 LBS (9.1 kg)	75" X 16" W X 7" H
S-1	STOKES STEEL LITTER WITH STRAPS	28 LBS ( 12.7 kg)	83" L X 25" W X 9" H

### Stretcher Accessories

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
FC-206	FLOTATION COLLAR FOR BELL-206	5 LBS (2.3 kg)	61" X 28" X 5"
FC-S1	FLOTATION COLLAR FOR STOKES - STEEL LITTER	4 LBS (1.8 kg)	61" X 28" X 5"
PU-B	PICK-UP BRIDLE	3 LBS (1.4 kg)	1" X 8"
DB	DISPOSABLE BLANKET FOR STOKES STRETCHERS	1 LB (0.45 kg)	54" X 80"
S-4	STRAPS FOR STOKES LITTER - 4 PER SET	1 LB (0.45 kg)	5' X 2"
C-S1	COVER FOR STOKES LITTER	2 LBS (0.9 kg)	84" X 24" X 9"



**독도안전**

부산광역시 부산진구 양정동 525 대원칸타빌램버스 106동 상가 B103  
 전화 : (051) 867-1800 / 817-0071      www.dokdosafe.com  
 팩스 : (051) 817-4234                      sdisbs@hanmail.net

## Hawser Floats, Eye to Eye Hawasers

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
358-E	ROPE CIRC: 11"	20 LBS (9.1 kg)	5 POCKETS
384-E	ROPE CIRC: 12"	20 LBS (9.1 kg)	5 POCKETS
416-E	ROPE CIRC: 13"	20 LBS (9.1 kg)	5 POCKETS
448-E	ROPE CIRC: 14"	20 LBS (9.1 kg)	5 POCKETS
480-E	ROPE CIRC: 15"	24 LBS (10.9 kg)	5 POCKETS
512-E	ROPE CIRC: 16"	24 LBS (10.9 kg)	6 POCKETS
576-E	ROPE CIRC: 18"	24 LBS (10.9 kg)	6 POCKETS
672-E	ROPE CIRC: 21"	24 LBS (10.9 kg)	7 POCKETS

## Float Free Links

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
FFL-110	1-10 PERSON FLOAT	1 OZ (0.03 kg)	-
FFL-1120	11-20 PERSON FLOAT	1 OZ (0.03 kg)	-
FFL-2160	21 OR MORE	1 OZ (0.03 kg)	-

## Safety Pipe Hooks

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
SPH-03	1 3/4" MOUTH OPENING, 5000# SWL	12 LBS (5.4 kg)	11" X 8 1/4" X 2 1/2"
SPH-04	2" MOUTH OPENING, 7500# SWL	14 LBS (6.4 kg)	-
SPH-05	2 5/8" MOUTH OPENING, 14,000 SWL	21 LBS (9.5 kg)	-
DTP-002	PIPE HOOK	22 LBS (10.0 kg)	-
DTP-002N	PIPE HOOK	25 LBS (11.3 kg)	15" X 9 1/4" X 3"



Safety Pipe Hooks  
SPH-03

Designed to grip pipe or casing for hands free operation.

## Wind Socks

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
WS-18	18" WINDSOCKS - ORANGE (18" DIA X 60"L X 9" DIA), 12 OZ PAK CLOTH - NYLON, 16 BRASS GROMMETS	1 LBS (0.5 kg)	-
WS-18B	BRACKET FOR WS-18	5 LBS (2.3 kg)	-
WS-BE	EXTENDED BRACKET FOR WS-18, 3/8" GALV ROD	10 LBS (4.5 kg)	-
WS-B117	BRACKET WITH LIGHT ON TOP, 1" GALV PIPE - SHCH 40 10' LONG, RED PLASTIC LENS - 120 VOLTS	50 LBS (22.7 kg)	-

\* Custom wind socks available upon request.

## Rope Ladders

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
WRN-18-14	OAKWOOD RUNGS (2" X 2" X 18")	1.49 LBS/FT (0.5 kg)	"
OPTIONAL	CARABINER (2 PER LADDER)	"	"
R1-N	OAKWOOD RUNGS (1" X 4 1/2" X 20")	2.5 LBS/FT (1.13kg)	"
OPTIONAL	CARABINER (2 PER LADDER)	"	"

## Chain/Wire Ladders

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
W-1	ALUMINUM ROUND RUNG (1 1/2" X 20")	"	"
W-5	W/6" ROUND ALUM DISC "STAND OFFS"	"	"
C-1	ALUMINUM ROUND RUNG (1 1/2" X 20")	"	"
OPTIONAL	CARABINER (2 PER LADDER)	"	"



Wind Sock  
WS-18



Rope Ladders  
WRN-18-14

# Lines and Ropes.

don't get yourself into a knot.

## Swing Ropes

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
SR	Swing Rope	30 LBS / FT.	13" x 13" x 9'

- 3/4" SSR 1200-3 ROPE
- 3/4" STAINLESS STEEL THIMBLE
- 3/8" NYLON WRAP BETWEEN KNOTS DIPPED IN POLYURETHANE
- ALUMINUM TAG W/MFG DATE & LENGTH SPECIFY LENGTH (MAXIMUM 5 KNOTS, 2' APART)
- UP TO 30'. ADDITIONAL LENGTH PER FOOT OVER 30'



Swing Rope  
SR



Tag Line  
PTL-1

## Tag Lines

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
PTL-1	10' - 1 1/2" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE ON ONE END (CONFORMS TO API STANDARDS)	6 LBS (2.7 kg)	-
	15' - 1 1/2" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE ON ONE END (CONFORMS TO API STANDARDS)	7 LBS (3.2 kg)	19"X 17"X 4"
	20' - 1 1/2" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS THIMBLE STEEL EYE ON ONE END (CONFORMS TO API STANDARDS)	11 LBS (5.0 kg)	19"X 16"X 6"
	25' - 1 1/2" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE ON ONE END (CONFORMS TO API STANDARDS)	15 LBS (6.8 kg)	-
	30' - 1 1/2" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE ON ONE END (CONFORMS TO API STANDARDS)	18 LBS (8.2 kg)	-
	35' - 1 1/2" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE ON ONE END (CONFORMS TO API STANDARDS)	21 LBS (9.5 kg)	-
	40' - 1 1/2" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE ON ONE END (CONFORMS TO API STANDARDS)	24 LBS (10.9 kg)	-
CARABINEER	ALL TAG LINES WILL ACCOMMODATE A CARABINEER - ADD \$78 FOR CARABINEER	2 LBS (0.9 kg)	-

## Rigid Tag Lines

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
RPTL-1	10' - 1 1/4" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE (CONFORMS TO API STANDARDS)	5 LBS (2.3 kg)	-
	15' - 1 1/4" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE (CONFORMS TO API STANDARDS)	7 LBS (3.2 kg)	-
	20' - 1 1/4" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE (CONFORMS TO API STANDARDS)	9 LBS (4.1 kg)	-
	25' - 1 1/4" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE (CONFORMS TO API STANDARDS)	11 LBS (5.0 kg)	-
	30' - 1 1/4" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE (CONFORMS TO API STANDARDS)	13 LBS (5.9 kg)	-
	35' - 1 1/4" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE (CONFORMS TO API STANDARDS)	15 LBS (6.8 kg)	-
	40' - 1 1/4" OVERALL DIAMETER, DIPPED, WRAPPED, STAINLESS STEEL THIMBLE EYE (CONFORMS TO API STANDARDS)	17 LBS (7.7 kg)	-
	CARABINEER	ALL TAG LINES WILL ACCOMMODATE A CARABINEER - ADD \$78 FOR CARABINEER	2 LBS. (0.9 kg)

## Containerized Fast Throw Lines

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
CTL-1	10' - 5/8" NO DIP, NO WRAPPING, STAINLESS STEEL THIMBLE EYE ON ONE END (DOES NOT CONFORM TO API STANDARDS)	3 LBS (1.4 kg)	-
	15' - 5/8" NO DIP, NO WRAPPING, STAINLESS STEEL THIMBLE EYE ON ONE END (DOES NOT CONFORM TO API STANDARDS)	3½ LBS (1.6 kg)	-
	20' - 5/8" NO DIP, NO WRAPPING, STAINLESS STEEL THIMBLE EYE ON ONE END (DOES NOT CONFORM TO API STANDARDS)	4 LBS (1.8 kg)	-
	25' - 5/8" NO DIP, NO WRAPPING, STAINLESS STEEL THIMBLE EYE ON ONE END (DOES NOT CONFORM TO API STANDARDS)	4½ LBS (2.0 kg)	-
	30' - 5/8" NO DIP, NO WRAPPING, STAINLESS STEEL THIMBLE EYE ON ONE END (DOES NOT CONFORM TO API STANDARDS)	5 LBS (2.3 kg)	-
	35' - 5/8" NO DIP, NO WRAPPING, STAINLESS STEEL THIMBLE EYE ON ONE END (DOES NOT CONFORM TO API STANDARDS)	5½ LBS (2.5 kg)	-
CARABINEER	ALL TAG LINES WILL ACCOMMODATE A CARABINEER - ADD \$78 FOR CARABINEER	2 LBS (0.9 kg)	-



Rigid Tag Line  
RPTL-1



Containerized Fast Throw Line  
CTL-1

## Escape and Knotted Rope

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS
1 1/4 P-K2	1 1/4" POLY PRO, KNOTS 2' APART	.44/ft	DEPENDENT ON LENGTH
1 1/4 P-K3	1 1/4" POLY PRO, KNOTS 3' APART	.39/ft	DEPENDENT ON LENGTH
1 1/4P-K5	1 1/4" POLY PRO, KNOTS 5' APART	.32/ft	DEPENDENT ON LENGTH
1 1/2P-K-5	1 1/2" POLY PRO, KNOTS 5' APART	.45/ft	DEPENDENT ON LENGTH
1M--K2	1" MANILA, KNOTS 2; APART	.43/ft	DEPENDENT ON LENGTH
1 1/4M-K-3	1 1/4" MANILA, KNOTS 3' APART	.39/ft	DEPENDENT ON LENGTH
1 1/4M-K-5	1 1/4" MANILA, KNOTS 5' APART	.32/ft	DEPENDENT ON LENGTH



**독도안전**

부산광역시 부산진구 양정동 525 대원칸타빌멤버스 106동 상가 B103  
 전화 : (051) 867-1800 / 817-0071      www.dokdosafe.com  
 팩스 : (051) 817-4234                      sdisbs@hanmail.net

## THE NEW 8 YEAR OPTION

After 3 refurbishments, you now have options.

While buying a full replacement may be necessary, BPC is now offering an 8 year refurbishment kit.

These kits include:

- the 2 year refurbishment kit
- a NEW top section of the frame.

### 8-Year Refurbishment Kits

TYPE	PART NUMBER
X-904-4 - 8-year refurb	8YR-904-4-RK
X904-6 - 8 year refurb	8YR-904-6-RK
X904-8 - 8 year refurb	8YR-904-8-RK
X904-10 - 8 year refurb	8YR-904-10-RK
X904-12 - 8 year refurb	8YR-904-12-RK